281 N Main St, STE 101
Wasilla, AK 99654
907-373-6130

Alaska Laboratory AK01000
Client SOA - State of Alaska - ADEC
Contact None

Project Name SOA Bristol Bay Pathogens -2023: Kanakanak Beach 06/26/23 - Sampling 2
AWL # AWL-23-01817
PWS # Non PWS System

Please direct any questions regarding the final report to Mary@AKWaterLabs.com or Matt@AKWaterLabs.com, or call 907-373-6130.

The results presented in this report meet the requirement of the laboratory's certifications and internal QC processes. Any exceptions will be noted in the case narratives attached. Subcontract data will be entered into AWL final reports. Full subcontract reports are available upon request.

The attached should contain analytical results for the analyses submitted on the client chain of custody. The information includes no opinions of the analysts or labs, data is represented after meeting certified testing requirements, and quality control measures.

Reproduction of the report requires the written approval of the laboratory.

Mary Curry Digitally signed by Mary Curry
Date: 2023.06.28 16:25:31
-08'00'

AWL Laboratory Management Date

Alaska Water Laboratories

281 N Main St, STE 101
Wasilla, AK 99654
907-373-6130

Alaska Laboratory #AK01000

Client Project Name	SOA Bristol Bay Pathogens -2023: Kanakanak Beach AWL # AWL-23-01817 06/26/23 - Sampling 2		
Receipt Date and Time	06/26/2023 18:24	Due Date	06/27/2023 16:00
Cooler Temperature (C)	5.06	Sampler Initials	MJG
Sample receipt comments	Received at 5.06C (RT1), on frozen ice.		
Log In	TDH	DQO	MCC

Samples Received

Sample Location	AWL ID	Collection Date/ Time	Analysis Date/Time	Analysis	Notes
Kanak-062623-001	AWL-23-01817-001	06/26/2023 11:20	6/26/23 18:20	Fecal Coliform by MF	
Kanak-062623-002	AWL-23-01817-002	06/26/2023 11:20	6-26-23 18:45	Enterococci by Enzyme Substrate	

Analytical Methods

Analyte	Analytical Method	Comments
Fecal Coliform	SM9222D Fecal Coliform by MF	None
Enterococci	ASTM D6503 Enterococci by Enzyme Substrate	None

Certification: Alaska Drinking Water
CMDP Job ID: n/a

Comments: n/a

281 N Main St, STE 101
Wasilla, AK 99654
907-373-6130

Alaska Laboratory #AK01000

Definitions:
DUP: Sample Duplicate
LCS/LCSD: Laboratory Control Sample/Laboratory Control Sample Duplicate
MRL: Method Reporting Limit
MB: Method Blank
MCL: Maximum Contaminant Limit
MDL: Method Detection Limit
MS/MSD: Matrix Spike/Matrix Spike Duplicate
N/A: Not Applicable
TNTC: Cell count is Too Numerous To Count
<MDL: Result recovery is below the laboratory detectable limit, listed as the MDL.

Data Qualifiers:
B: The result of both the method blank and the target sample were recovered above the MDL.
D: Sample was diluted prior to analysis.
J: The reported result was recovered below the MRL (Method Reporting Limit), but above the MDL (Method Detection Limit), and should be considered an estimate.
U: Result was recovered below the MDL, MRL, LOD, and LOQ.
*: The LCS/LCSD or DUP was recovered outside method specified control limits.
H: Sample was recieved or analyzed outside of method specified holding time.
E: Sample recovery exceeded the MCL.
Q: One or more Quality Control criteria was recovered outside of control limits.

General Comments:
1.0) Basis: "As Received" = Analyzed as received from client. "Dry" = dried piror to being analyzed. "Dry Weight Corrected" = analyzed as received, result corrected for percent moisture.

Alaska Water Laboratories

281 N Main St, STE 101
Wasilla, AK 99654
907-373-6130

Alaska Laboratory #AK01000

Analytical Results

Client	SOA - State of Alaska - ADEC	Project	SOA Bristol Bay Pathogens -2023: Kanakanak Beach 06/26/23 - Sampling 2
Contact	None	PWS #	Non PWS System
Project	SOA Bristol Bay Pathogens -2023: Kanakanak Beach 06/26/23 - Sampling 2		

Sample Location: Kanak-062623-002 Collection Date/ Time: 06/26/2023 11:20

AWL ID/ Fraction: AWL-23-01817-002 Matrix AQ Batch ID: 062623-01-ENT

Analyte	Result	Units	MDL	MCL	Flags	DF	Method	Date/Time	Anaylst Initials
Enterococci	11	MPN/ 100mL	0.91			0.91	ATSM D6503-99 Enterolert	6-26-23 18:45	BFM
Comments:									

Sample Location: Kanak-062623-001 Collection Date/ Time: 06/26/2023 11:20

AWL ID/ Fraction: AWL-23-01817-001 Matrix AQ Batch ID: 062623-01-FC

Analyte	Result	Units	MDL	MCL	Flags	DF	Method	Date/Time	Anaylst Initials
Fecal Coliform	60	CFU/ 100mL	10			10	SM9222D Fecal by MF	6/26/23 18:20	BFM
Comments:									

281 N Main St, STE 101
Wasilla, AK 99654
907-373-6130

Alaska Laboratory #AK01000

Analysis QC

AWL Chain of Custody

Custody form MUST be signed
Please provide as much information as possible

Alaska Water Laboratories

Alaska Water Laboratories

AWL-23- 01817

oratories
uite # 101
99654
907-379-0130

Client/Company Name & Address:
ADEC - Nonpoint Source Pollution Porgram

Contact Person: Sarah Apsens, Laura Eldred
Phone No:
Fax No:
E-mail:

Public Water System (PWS) ID:
Project Name/ID : SOA Bristol Bay Pathogens - 2023
Kanakanak Beach 06/26/2023 - Sampling 2

Turnaround Time (TAT) for Results

___ Standard X Expedited (prior authorization required)
*Specify Requested Due Date if not standard

Requested Date for Results: Email notification within 36 hours
Results to STATE: Yes No **Routine** Non-Routine
Specify if REPEAT sample

AWL Staff
Quote Number **AWL #**
Account #: **Check** **Credit**
Invoice Contact Name & Address & Phone:
PO/Contract No.:

Special Instructions/Requirements:
* x VOL container for FC and Entero taken - only used if sample container is broken

Kit Preparation/Shipping Charge:

Requested Analysis/Method

	Client Sample Identification (Name, Designation, Location, etc.)	Date Sampled	Time Sampled	Matrix (DW, WW, SO)	No. of Containers	Cl Residual	Fecal Coliform SM 9222D Preservative Lot#___	Enterococci ASTM Preservative Lot#___	MST - Filter and Freeze Preservative Lot#___	Preservative Lot#___	Preservative Lot#___	Preservative Lot#___	State Pt. Sampling ID	Facility ID	Trigger/ Repeat/ Special
1	Kanak-062623-001	6/26/2023	11:20		2		x								
2	Kanak-062623-002	6/26/2023	11:26		2			x							
3															
4															
5															
6															
7															
8															
9															
10															

Relinquished by:	Date	Time	Received by:	Date	Time
MSL	6-26-23	6:24pm	MSL	6-26-23	6:24pm
Relinquished by:	Date	Time	Received by:	Date	Time
Relinquished by:	Date	Time	Received by:	Date	Time

Name of Sampler: (printed) Matthew J Lang

Section To Be Completed by AWL
Custody Seal (circle): Intact Broken Absent
Temperature on arrival: 5.06 °C
Thermo ID IRT
Recv Notes:
Temp TB Cooler
Ice Frozen Wet
Delivery Method (Circle) Courier USPS/Mail Hand

Version 0.1 12/21

page ___ of ___